


Topographic sketchmap of plot. A I.
 Locality: Temiai/Temalad divide,
 Hose Mountains, C. 2850' a. s. l.
 Dacite substrate.
 C. 5ft. trend-lines, starting from
 an arbitrary datum level of "0"
 1 X 1 chain (22 yards) Squares.
 Rock faces marked black.
 v swampy (peat-free)

Plot A-2.

Ulu Pila, Carapa Pila, c2750' a.s.l.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Basalt substrate.




Plot. B. I. G. Santubong.


850' above sea level.

5 ft. trend-lines, starting from an arbitrary datum level of '0'

Sandstone substrate .



Plot. B. 2. G. Santubong.
5ft. trend-lines starting from an arbitrary datum level of "0"
C. 1100' above sea level.
Sandstone substrate.




Plot C.I., Bt. Mersing.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt.: 450 ft.

Basalt substrate.




Plot C. 2., Bt. Mersing


5 ft. trend-lines, starting from an arbitrary datum level of "0"

Alt. : 700 ft.

Basalt substrate.



Plot. C. 3., Bt. Mersing.
5ft. trend-lines, starting from an arbitrary datum level of '0'
Alt.: 500ft.
Basalt substrate.




Plot C. 4. Bt. Mersing.

5 ft. trend - lines., starting from an arbitrary datum level of "0"

Alt.: 550 ft.

Basalt substrate.




Plot. C. 5. Bt. Mersing.

5 ft. trend-lines., starting from an arbitrary datum level of "0"

Alt.: 600 ft.

Basalt substrate.




Plot. C. 6. Bt. Mersing.


5ft. trend-lines, starting from an arbitrary datum level of '0'

Alt.: 800ft.

Basalt substrate.



Top of 300




Plot C-7, Bt-Mersing.
5ft. Trend-lines, starting from an arbitrary datum level of "0"
Alt. 1200'.
Basalt substrate.

Plot. C. 8. Bt. Mersing.

5ft. trend- lines, starting from an arbitrary datum level of "0"

Alt: 1100'


Basalt substrate.



Plot. C. 9. Bt. Mersing.

5ft. trend-lines starting from an arbitrary datum level of 'O'
Alt. : 620 ft.

Basalt substrate.




Plot C. 10. Bt. Mersing.

5 ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt.: 950'

Basalt substrate.




Plot. C. II. Bt. Mersing.


5ft. trend-lines starting from an arbitrary datum level of '0'

Alt.: 1100'


Basalt substrate




Plot. C. 12. Bt. Mersing.
5ft. trend-lines, starting from an arbitrary datum level of "0"
Alt. :1500'. Basalt substrate.



Plot. C. 13. Bt. Mersing
5ft. trend-lines, starting from an arbitrary datum level of '0'.
Alt.: 1600'.
Basalt substrate.



T. R. Mersing




Plot. C. 14. Bt. Mersing.

5 ft. trend-lines, starting from an arbitrary datum level of "0"


Alt.: 1000'

Basalt substrate.

Plot. C. 15. Bt. Mersing.
 5ft. Trend-lines, starting from an arbitrary datum level of "O"
 Alt. 1400'.
 Basalt substrate.





Plot. C. 16 Bt. Mersing.
5ft. trend-lines, starting from an arbitrary datum level of "0"
Alt.: 1800'.
Basalt substrate.




Tan Mersing

Plot.C.17. Bt. Mersing.
5ft. Trend-lines, starting from an arbitrary datum level of "0"
Alt.:1100'.
Basalt substrate.









PLOT. C. 19. BT. MERSING
5FT. TREND-LINES
ALT.: 1650'


T. 19. 5. 3

Plot C-20 Bt Mersing
5ft. Trend-lines, starting from an arbitrary datum level of "0"
Alt. 1950'.
Basalt substrate.




Plot C-21-Bt-Mersing
5ft. Trend-lines, starting from an arbitrary datum level of "0"
Alt. 2850'.
Shale substrate.






Plot. C.22. Bt. Mersing.
5ft. Trend-lines, starting from an arbitrary datum level of "0"
Alt. 2600'.
Basalt substrate.

Plot.C. 23. Bt. Mersing.
5ft. Trend-lines, starting from an arbitrary datum level of "0"
Alt. 2800'- 3000'.
Basalt substrate.






Plot. C. 25. Bt. Mersing.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 2800'.

Basalt substrate.




Plot. C. 26. Bt. Mersing.


5ft. trend-lines, starting from an arbitrary datum level of '0'

Alt. : 2350'


Basalt substrate.




Plot. C. 27. Bt. Mersing.
5ft. Trend - lines, starting from an arbitrary datum level of "0"
Alt. 2050'.
Basalt substrate.



Plot. C. 28. Bt. Mersing.
5ft. trend-lines, starting from an arbitrary datum level of '0'
Alt. : 2300'
Basalt substrate



Plot. C. 29. Bt. Mersing.
5ft. trend-lines, starting from an arbitrary datum level of "0"
Alt. : 2300'
Basalt substrate.




Plot. C.30. Bt. Mersing

5ft trend-lines, starting from an arbitrary datum level of '0'

Alt.: 2400'

Basalt. substrate.




Plot. DI. Ulu Dapoi.

5ft. Trend - lines, starting from an arbitrary datum level of "0"

Alt. 720 ft.

Dacite substrate.

4/ 3/ 65.




Plot D-2: Ulu Dapoi,

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt.: 500'

Dacite substrate.




Plot E. I. Bok-Tisam.


5 ft. trend-lines, starting from an arbitrary datum level of "0"

Alt. 400'. Shale substrate.


26-4-65.



Location Of Sample Plots At Bok - Tisam. (area E)



Plot. E. 2. Bok-Tisam
5ft. trend-lines, starting from an arbitrary datum level of "0"
Alt: 150'
Shale substrate




T. M. S. 17

Plot. E. 3. Bok - Tisam.


5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 350'.

30/4/1965.



Plot. E. 4 Bok - Tisam.
 5 ft. Trend-lines, starting from an arbitrary datum level of "0"
 Alt. 250'.
 Shale substrate.
 2/5/65.




220 220 King

Plot E. 5. Bok—Tisam.


5 ft. trend—lines starting from an
arbitrary datum level of "0"

Alt., 500'; shale substrate.


4. 5. 65.




Plot. E. 6 Bok-Tisam
5ft. trend-lines, starting from an arbitrary datum level of "0"
Alt.: 450'. Shale substrate.
5/5/1965



100 P. H. C.



Plot. E. 7 Bok-Tisam
5ft. trend-lines starting from an arbitrary datum level of "0"
Alt.: 350'. Shale Substrate.
7/5/1965.




E.8. Bok-Tisam

5 ft. trend lines, starting from an arbitrary datum level of "0"

Alt., 400'; shale substrate

9. 5. 65.




Plot E. 9. Bok-Tisam

5ft. trend-lines, starting from an arbitrary
datum level of "0."

Alt. 150'. shale substrate

11-5-65



Plot E. 9. Bok-Tisam.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 150'. Shale substrate.


11/5/1965.

Plot. E.10. Bok-Tisam.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 100'. Shale substrate.

12/5/1965.





Plot F.1., Bako National Park.

5 ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 120'. Sandstone substrate.

8/6/1965.






Plot. F.3. Bako National Park.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 200', Sandstone substrate.

14/6/1965.




Plot F. 4. Bako National Park.

5 ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 100'. Sandstone substrate.

15 / 6 / 1965.




Plot G.I. Bt. Iju, Arip. Rhyolite substrate.


5 ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 300', above sea level.

13/7/65.



Plot G.2. Bt. Iju, Arip. Rhyolite substrate.
5ft. Trend-lines, starting from an arbitrary datum level of "0"
Alt. 280', above sea level.
18/7/65.




Plot G.3. Bt. Iju, Ulu Arip. Rhyolite substrate.

5ft. Trend-lines, starting from an arbitrary datum level of "O"

Alt. 450', above sea level.

21/7/65.





Plot G.4. Bt. Iju, Arip. Rhyolite substrate.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 900', above sea level.

25 / 7 / 65.






Tan Lee Keng

Plot G. 6. Bt. Iju, Arip. Rhyolite substrate.

5ft. Trend - lines, starting from an arbitrary datum level of "0"

Alt. 300', above sea level.

29/7/65.




Tom Leach

Plot G.7. Bt. Iju, Ulu Arip. Rhyolite substrate.

5ft. Trend-lines, starting from an arbitrary datum level of "0"↑

Alt. 300', above sea level.

5/8/65.




100 Lee Hwy

Plot G. 8. Bt. Iju, Arip. Rhyolite substrate.

5ft. Trend-lines, starting from an arbitrary datum level of "0"


Alt. 400', above sea level.

9/8/65.



Tom Lee

12 / 8 / 65.




San Lorenzo

Plot G.10. Bt. Iju, Arip. Rhyolite substrate.


5ft. Trend - lines, starting from an arbitrary datum level of "0"


Alt. 300' above sea level.

14/8/65.




Plot G.II. Bt. Iju, Arip. Rhyolite substrate.
 5ft. Trend-lines, starting from an arbitrary datum level of "0"
 Alt. 500', above sea level.
 17/8/65.






Sam Lee Kung

Plot. G. 13. Bt. Iju, Arip. Rhyolite substrate.
 5 ft. Trend-lines, starting from an arbitrary datum level of "0"
 Alt. 450', above sea level.
 21/8/65.






Jan Lee Keng


Plot G.15. Bt. Iju, Arip. Rhyolite substrate.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 1000', above sea level.

28 / 8 / 65.






Plot H.I., Bt. Raya. Shale substrate.
5ft. Trend-lines, starting from an arbitrary datum level of "0"
Alt. 400', above sea level.
30/9/65.

Plot. H. 2. Bt. Raya. Shale substrate.


5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 650', above sea level.


2/10/65.




Sam Lee King



Plot H. 4. Bt. Raya: Shale substrate.
 5 ft. Trend-lines, starting from an arbitrary datum level of "0"
 Alt. 700', above sea level.
 6/10/65.



Plot H. 5. Bt. Raya. Shale substrate.
 5 ft. Trend-lines, starting from an arbitrary datum level of "0"
 Alt. 750', above sea level.
 10/10/65.




Plot. H. 6. Bt. Raya. Shale substrate.

5 ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 600', above sea level.

14 / 10 / 65.




Tan Lee Kong

Plot H. 7. Bt. Raya. Shale substrate.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 450', above sea level.

16/10/65.




Plot H. 8. Bt. Raya. Shale substrate.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 550', above sea level.

20/10/65.




Plot H. 9. Bt. Raya. Shale substrate.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 650', above sea level.

24/10/65.




Plot H. 10. Bt. Raya. Shale substrate.


5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 1200', above sea level.

27/10/65.



Plot H. II. Bt. Raya. Shale substrate.
 5ft. Trend-lines, starting from an arbitrary datum level of "0"
 Alt. 1100', above sea level.
 2/11/65.




Plot H. 12. Bt. Raya. Shale substrate.

5 ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 1350', above sea level.

7/11/65.




Plot H.13. Bt. Raya. Shale substrate.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 1500', above sea level.

8/11/65.





Plot H.14. Bt. Raya. Shale substrate.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 1400', above sea level.

9/11/65.





Plot H. 15. Bt. Raya. Shale substrate.
5ft. Trend-lines, starting from an arbitrary datum level of "0"
Alt. 1500', above sea level.
11 / 11 / 65.


Tom Lee Long

Plot J. I., Bakong.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 100', above sea level.

Setap shale formation substrate.



5ft. Trend - lines, starting from an arbitrary datum level of "0"

Setap shale formation substrate.


Plot J. 3.; Bakong.

5 ft. Trend - lines, starting from an arbitrary datum level of "0"

Alt. 250', above sea level.

Setap shale formation substrate.

22 / 3 / 66.




Plot J.4.; Ulu Bakong.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 250', above sea level.

Setap shale formation substrate.

25/3/66.





Plot. J. 5., Bakong.

5ft. Trend-lines, starting from an arbitrary datum level of "0"


Alt. 300', above sea level.

Setap shale formation substrate.





Plot K. I., Yong Khaw area, Lambir.
5ft. Trend-lines, starting from an arbitrary datum level of "0"
Alt. 200', above sea level.
Tukau formation substrate.




Plot. K.3. Yong Khaw area, Lambir.


5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 400'.

Tukau formation substrate.



Tukau formation substrate .




Plot L. I.; Lambir.

5ft. Trend-lines, starting from an arbitrary datum level of "O"

Alt. 1,350', above sea level.

Lambir formation substrate.




Plot L. 2. ; Lambir.

5 ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 1,250', above sea level.

Lambir formation substrate.




Plot L. 3.; Lambir.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 1,200', above sea level.

Lambir formation substrate.




Plot L.4; Lambir.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 1,500', above sea level.

Lambir formation substrate.





Plot L.5.; Lambir.

5ft. Trend-lines, starting from an arbitrary datum level of "0"

Alt. 1,200'.


Lambir formation substrate.






Jan 20 1960


Plot. M.I. Nyabau F. R.
 5 ft. Trend-lines, starting from an arbitrary level of "0".
 Alt: 150 ft.
 Nyabau Formation Substrate.




Nyalau Formation Substrate.




Plot. M.3. Nyabau. F. R.
 5 ft. Trend-lines, starting from an arbitrary datum level of "0".
 Alt : 520 ft.
 Nyalau Formation Substrate.



Plot. M.4. Nyabau F. R.
5 ft. Trend-lines, starting from an arbitrary datum level of "0".
Alt: 350 ft.
Nyabau Formation Substrate.



Plot. M.5. Nyabau F. R.
5ft. Trend-lines, starting from an arbitrary datum level of "0."
Alt : 550 ft.
Nyabau Formation Substrate.




Plot. N.I. Segan F. R.

5ft Trend-lines, starting from an arbitrary datum level of "0".

Alt: 100 ft.

Nyalau Formation Substrate.




Plot N. 2. Segan F. R.


5 ft. Trend-lines, starting from an arbitrary datum level of "0".

Alt: 150 ft.


Nyalau Formation Substrate.



Plot. N. 3. Segan F. R.
 5 ft. Trend-lines, starting from an arbitrary datum level of "0."
 Alt: 210 ft.
 Nyalau Formation Substrate.



Plot. N 4. Segan F. R.
5ft. Trend-lines, starting from an arbitrary datum level of "0".
Alt : 200 ft.
Nyalau Formation Substrate.



Plot. N. 5. Segan F. R.
5ft. Trend-lines, starting from an arbitrary datum level of "0".
Alt: 110 ft.
Nyalau Formation Substrate.

